

tango[®] neo

YAG/SLT
LASER



 **LUMIBIRD[®]**
MEDICAL

Setting the Standard of Care



TANGO® NEO – QUALITY LASER ENGINEERING IN THE HANDS OF THE OPHTHALMOLOGIST

Choose **Tango® Neo** from **Ellex**, and you'll be able to **move effortlessly between SLT and YAG modes**, which means **you can treat patients with glaucoma and secondary cataracts** with **maximum accuracy and optimal efficacy**.

ELLEX, A BRAND OF LUMIBIRD MEDICAL

■ INTUITIVE USER INTERFACE

10.1 inch capacitive touchscreen tablet to **efficiently switch** between **SLT and YAG modes**

SLT Optimized Ellex pioneered SLT technology

- 400 μm single spot size
- 3 nanosecond pulse duration
- Fully titratable energy control - delivering more with less

Nd:YAG Lower, more efficient energy levels

- Rapid repetition rate up to 3 shots per second
- Single, double or triple pulse
- Precise and powerful Nd:YAG beam output profile with low optical breakdown in air of 1.8 mJ^5
- Wide ranging YAG Posterior Offset
- Incremental energy selection

■ OPTIMIZED OPTICS

Tango Neo's advanced Galilean converging optics, with a 16° stereoscopic angle, deliver a natural three - dimensional view and a shallow depth of field - empowering you to focus with precision on the finest structures of the anterior segment.

■ ILLUMINATION

With **exceptional illumination & pristine optical view** of the **anterior segment**



THREE KEY TREATMENT MODALITIES

1 SELECTIVE LASER TRABECULOPLASTY

Clinically proven as a **first line therapy** for **Primary Open Angle Glaucoma** and **ocular hypertension**¹

- **Eradicates compliance issues** with medication²
- An **efficacious** and **REPEATABLE** treatment option
- EGS, NICE **Recommended first line therapy**^{3,4}

Tango® Neo features Lumibird Medical's proprietary SLT technology — with **superior energy control**, and an **homogenous 400 µm diameter aiming beam** clearly **traversing a large portion of the full width of the Trabecular Meshwork**.



More information about SLT:
www.glaucoma-laser-assisted-solutions.com

LIGHT STUDY IN FIGURES¹



652
PATIENTS RANDOMLY ASSIGNED TO SLT (329 PATIENTS) **OR EYE DROPS** (323 PATIENTS).




5x
TIMES LESS MEDICATION-DROP RELATED ADVERSE EVENTS* WITH SLT.
*Aesthetic side effect or ocular reactions



74.2%
OF SLT PATIENTS REACHED TARGET IOP AND WERE DROP-FREE AT 36 MONTHS.

CONSISTENTLY DELIVERING EXCELLENT CLINICAL RESULTS TO PATIENTS ACROSS THE ENTIRE GLOBE



SLT

Nd:YAG

GLAUCOMA TREATMENT



2 LASER PERIPHERAL IRIDOTOMY

For the YAG treatment of angle closure glaucoma, Tango® Neo with burst mode provides double or triple laser impact for the most efficient creation of a laser peripheral iridotomy within an iris crypt.

Full thickness penetrating treatments or staged therapy following initial thinning with a photocoagulating laser for thicker irides.

3

YAG POSTERIOR CAPSULOTOMY

Tango® Neo's Nd:YAG mode features an Ultra Gaussian laser beam profile with rapid rise time providing a stable and efficient laser energy output, pulse after pulse.

This efficient laser formation produces Tango® Neo's very low Nd:YAG optical breakdown resulting in superior clinical performance at lower energy levels.

It has a wide ranging YAG posterior offset of up to 500 µm displacing the laser treatment beam proximity to IOL.

TECHNICAL SPECIFICATIONS

SLT MODE

Laser Source	Q-switched, frequency doubled Nd:YAG
Wavelength	532 nm
Energy	0.3 to 2.6 mJ per pulse, continuously variable
Pulse Width	3 ns
Burst Mode	Single pulse only
Spot Size	400 µm
Aiming Beam	Red 635 nm, adjustable intensity

YAG MODE

Laser Source	Q-switched Nd:YAG
Wavelength	1064 nm
Energy	0.3 to 10 mJ per pulse, continuously variable
Pulse Width	4 ns
Burst Mode	1, 2 and 3 pulses per burst, selectable
Spot Size	8 µm
Offset (Anterior and Posterior)	0, -500 to +500 µm
Aiming Beam	Red 635 nm adjustable intensity

COMMON FEATURES SPECIFICATION

Repetition Rate	Up to 3 Hertz
Magnification	Optimized for enhanced anterior segment visualization
Illumination	Halogen
Cooling	Air cooled
User Interface	Capacitive 10.1" touch screen tablet
Electrical Requirements	100-240 VAC, 50/60 Hz, 800 VA
Weight	31 kg, 68 lbs (laser only)
Dimensions (HxWxD)	57 x 75 x 44 cm, 23 x 30 x 18 inches (laser only)
Standard Accessories	Total Solution table, safety glasses, laser safety sign, dust cover
Optional Accessories	SLT Laser lens, capsulotomy and iridotomy laser lenses, footswitch, five-position magnification changer, beam splitter, «C» mount camera adapter, video camera adapter, co-observation tube

Specifications are subject to change without notice. Non contractual pictures.

©2026. Tango® Neo is a trademark of Ellex Medical Pty Ltd, member of Lumibird Medical Division. All rights reserved.

BIBLIOGRAPHY

- (1) Gazzard G, Konstantakopoulou E, Garway-Heath D, et al. Selective laser trabeculoplasty versus eye drops for first-line treatment of ocular hypertension and glaucoma (LIGHT); a multicentre randomised controlled trial. *Lancet* 2019, Mar 9;393(10180):1505-16.
- (2) Reardon G, Kotak S. Objective assessment of compliance and persistence among patients treated for glaucoma and ocular hypertension: a systematic review. *Epub* 2011 Sep 23. PMID: 22003282; PMCID: PMC3191921.
- (3) Garg A, Vickerstaff V, et al. Efficacy of Repeat Selective Laser Trabeculoplasty in Medication-Naïve Open-Angle Glaucoma and Ocular Hypertension during the LIGHT Trial. *Ophthalmology*. 2020 Apr;127(4):467-476. doi: 10.1016/j.ophtha.2019.10.023. *Epub* 2019 Oct 30. PMID: 32005561.
- (4) European Glaucoma Society Terminology and Guidelines for Glaucoma, 5th Edition. *Br J Ophthalmol*. 2021 Jun;105(Suppl 1):1-169. doi: 10.1136/bjophthalmol-2021-egsguidelines. PMID: 34675001.
- (5) Average performance only. Based on system performance testing (Data on file).



Manufacturer
Ellex Medical Pty Ltd
3-4 Second Avenue
Mawson Lakes, SA 5095 Australia
Tel: +61 (0)8 7074 8200
ISO 13485 : 2016

Headquarters
Lumibird Medical
1, Rue du Bois Joli - CS40015
63808 Cournon d'Auvergne - France
Tel: +33 (0)4 73 745 745



LUMIBIRD[®]
MEDICAL

www.lumibirdmedical.com